

Receiving Report

Date: 15-01-9 Batch No: 131226
 Supplier: ThyssenKrupp Dart P/O: 912918

Packing Slip: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Release Note Attached: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Invoice: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Waybill Attached: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Receipt: Cash <input type="checkbox"/> Cr <input checked="" type="checkbox"/>	Shipment Complete: Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
New Supplier Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	QC18 Inspection <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	Work Order <input type="checkbox"/>

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver QC12 [Signature]

Production/Admin: _____
 Date _____
 Received/Costing _____
 Initial _____

Location _____

Purchase Order Receipt Listing

Friday, January 09, 2015 9:06:05 AM

Page 1 of 2

All amounts are calculated in domestic currency.

All Vendors PO ID PO26920 Receipt Dates from 1/9/2015 to 1/9/2015 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO26920	1		M6061T6B0.250X01. f 000		1/12/2015	1/9/2015	12.0000	\$2.16	0.0000	0	\$25.86
CAD	No		6061-T6 Bar .250 x f 1.00 m131226		12.0000	DCUSER		\$25.86	0.0000	0	
	2		M6061T6B0.375X01. f 000		1/12/2015	1/9/2015	24.0000	\$1.08	0.0000	0	\$25.86
	No		6061T6 BAR .375 x f 1.00 m131226		24.0000	DCUSER		\$25.86	0.0000	0	
	3		M6061T6B0.750X01. f 500		1/12/2015	1/9/2015	12.0000	\$3.01	0.0000	0	\$36.16
	No		6061-T6 Bar .750 X f 1.50 m131226		12.0000	DCUSER		\$36.16	0.0000	0	
	4		M6061T6B30000X01 f 500		1/12/2015	1/9/2015	12.0000	\$11.27	0.0000	0	\$135.25
	No		6061-T6 Bar 3.00 x f 1.50 m131226		12.0000	DCUSER		\$135.25	0.0000	0	
	5		M6061T6R1.500 f 6061-T6 Round Bar 1.50 m131226		1/12/2015	1/9/2015	60.0000	\$4.65	0.0000	0	\$279.07
	No				60.0000	DCUSER		\$279.07	0.0000	0	
	6		M6061T6R3.250 f 6061-T6 RD BAR 3.250" m131226		1/12/2015	1/9/2015	6.0000	\$22.81	0.0000	0	\$136.84
	No				6.0000	DCUSER		\$136.84	0.0000	0	
	7		71401-45 procurement quality clauses m131226		1/12/2015	1/9/2015	1.0000	\$0.00	0.0000	0	\$0.00
	No				1.0000	DCUSER		\$0.00	0.0000	0	

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Total Received Quantity:											127.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$639.04
Total Balance Due Quantity:											0.0000

B I L L O F L A D I N G

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

No: PEC 912918
Ship Date 07Jan15 at 12:29 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp CARMELA AGNIHOTRI(905-5321422)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

B I L L O F L A D I N G

1) Our Order PEC-756034- 1 Your PO # PO26920
Part # M6061T6B0.25X01.000 Rel #

ALUMINUM FLAT BAR 6061-T6511
.250" x 1.00" X 144.0000"

Heat Number Tag No
407983-1 367484

Quantity PCS Wt LBS
12 FT 1 MTR 4

2) Our Order PEC-756034- 2 Your PO # PO26920
Part # M6061T6B0.375X01.000 Rel #

ALUMINUM FLAT BAR 6061-T6511
.375" x 1.00" X 144.0000"

Heat Number Tag No
406526-5 367485

Quantity PCS Wt LBS
24 FT 2 MTR 10

3) Our Order PEC-756034- 3 Your PO # PO26920
Part # M6061T6B0.75X01.500 Rel #

ALUMINUM FLAT BAR 6061-T6511
.750" X 1.50" X 144.0000"

Heat Number Tag No
408332-6 367486

Quantity PCS Wt LBS
12 FT 1 MTR 16

4) Our Order PEC-756034- 4 Your PO # PO26920
Part # M6061T6B30000X01.500 Rel #

ALUMINUM FLAT BAR 6061-T6511
1.50" x 3.00" X 144.0000"

Heat Number Tag No
173670-1 367487

Quantity PCS Wt LBS
12 FT 1 MTR 63

Page: 1Continued

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

B I L L O F L A D I N G

No: PEC 912918

Ship Date 07Jan15 at 12:29 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp CARMELA AGNIHOTRI(905-5321422)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

5) Our Order PEC-756034- 5 Your PO # PO26920
Part # M6061T6R1.500 Rel #
ALUMINUM ROUND BAR 6061-T6511
1.50" DIA X 144.0000"

DISCH

Heat Number
201419507

Tag No
367488

Quantity
60 FT

PCS
5

MTR

Wt LBS
126

6) Our Order PEC-756034- 6 Your PO # PO26920
Part # M6061T6R3.250 Rel #
ALUMINUM ROUND BAR 6061-T6511
3.250" DIA X 72.0000"

Heat Number
Z00080113

Tag No
367550

Quantity
6 FT

PCS
1

MTR

Wt LBS
59

TOTAL: Tags 6 PCS 11 LBS 278

Heat Number
173670-1
201419507
406526-5
407983-1
408332-6
Z00080113

*** Chemical Analysis ***

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 BDL, 1 PKG GW. 299 LBS

Page: 2Continued

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship To: (1)
DART AEROSPACE

No: PEC 912918
Ship Date 07Jan15 at 12:29 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp CARMELA AGNIHOTRI (905-5321422)
Sold To: (20115)
DART AEROSPACE

B I L L O F L A D I N G

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***
**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 3 Last

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511
.250" x 1.00" X 144.0000"
PART NO. M6061T6B0.25X01.000

PO/Rel PO26920

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-912918-001

7Jan15

Signed by: [Signature] Pg 1/1

CAN ART

ALUMINUM EXTRUSION INC.

Material Test Report

Ship To: ThyssenKrupp Materials NA
2821 Langstaff Road
Concord, ON L4K 5C6

Manifest: 284799

Ticket:
5387378

Our Order: 407983 - 1 Cust P.O.: 261277
Die: ES05621 Part: 05621-000-144
Alloy Temper: 6061 T6511 Description: .250 x 1.000
Print Date: 9/30/14

mk 15/01/13

Chemical Composition Range

6061	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Other/Each	Other/Total
Min	0.40		0.15		0.8	0.04				
Max	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	0.05	0.15

Mechanical Properties

Strength ksi

Sample ID	Cast #	Lot #	Test Date	Ultimate Tensile	Yield 2% offset	Elongation 2" gage length
402773	14091101A	A11	9/29/14	44.75	40.95	11.5

Applicable Specifications: ASTMB221-13 QQA200/8

Country of Origin: 85 Parkshore Drive, Brampton, Ontario CANADA L6T 5M1

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Ray Hussain - Tensile Testing

Authorized: _____

[Signature]
Evan Eng, Quality Assurance Mgr.

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511
.750" X 1.50" X 144.0000"
PART NO: M6061T6B0.750X01.500

PO/Rel PO26920

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-912918-003

7Jan15

Signed by: 

Pg 1/1

CAN ART

ALUMINUM EXTRUSION INC.


Material Test Report

Manifest: 285469

Ship To: ThyssenKrupp Materials NA
2821 Langstaff Road
Concord, ON L4K 5C6

Ticket:
5388873

Our Order: 408332 - 6 Cust P.O.: 261563
Die: ES05726 Part: 05726-000-144
Alloy Temper: 6061 T6511 Description: .750 x 1.500
Print Date: 10/10/14

 15/10/13

Chemical Composition Range

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OtherEach	OtherTotal
Min	0.40		0.15		0.8	0.04				
Max	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	0.05	0.15

Mechanical Properties

Strength ksi

Sample ID	Cast #	Lot #	Test Date	Ultimate Tensile	Yield 2% offset	Elongation 2" gage length
402956	14741001A	A11	10/8/14	40.41	35.91	14.3


Applicable Specifications: ASTMB221-13 QQA200/8

Country of Origin: 85 Parkshore Drive, Brampton, Ontario CANADA L6T 5M1

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Ray Hussain - Tensile Testing

Authorized: _____


Evan Eng, Quality Assurance Mgr.

THYSSENKRUPP MATERIALS NA

DART AEROSPACE
ALUMINUM ROUND BAR-6061-T6511
1.50" DIA X 144.0000"
PART NO. M6061T6R4-500

PO/Ref: P026920
We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Certificate of Mill Test Results
Signed by: *W*
BL PEC-912918-005
7Jan15
Pg 1/1



Service Center Metals
5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

OUR ORDER NUMBER	ITEM
214933	4

BILL TO ThyssenKrupp Materials NA	MANIFEST NUMBER 240032	DIE NUMBER RD0010	DATE OF SHIPMENT 10/8/2014	CERTIFICATION ASTM-B221-13 StencilCont
SHIP TO ThyssenKrupp Materials NA, Toronto	CUSTOMER PO PEC-261314	ALLOY/TEMPER 6061-T6511	SALES PERSON David Schroeder	SPECIFICATION AMS-QQA-200/8 - 1997
Quantity Certified 3,167 lbs 127 pcs	CUSTOMER PART NUMBER RD0010	DESCRIPTION Lightning Rod Tite 1.500 + 005/-004		

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA.

Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

Mechanical Properties

Tests	Lot No.	Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation
12	201419507	10/6/14	min 49.50 max 55.20	min 46.90 max 52.50	min 15.55 max 19.45

1501/23

Chemical Composition for Aluminum Alloy 6061

Cast Number	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Others	Melt Source:
06301404	6061	0.75	0.34	0.33	0.09	0.89	0.11	0.05	0.02	97.44	0.05	United States of America
06301405	6061	0.72	0.36	0.31	0.08	0.85	0.11	0.04	0.02	97.51	0.05	United States of America
08251402	6061	0.77	0.38	0.30	0.09	0.92	0.11	0.09	0.02	97.34	0.05	United States of America

Print Date: 10/8/2014

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511

375" x 1.00" X 144.0000"

PART NO: M6061T6B0.375X01.000

PO/Rel PO26920

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-912918-002

7Jan15

Signed by: 

Pg 1/1

CAN ART

ALUMINUM EXTRUSION INC.

Material Test Report

Manifest: **282430**

Ship To: ThyssenKrupp Materials NA
2821 Langstaff Road
Concord, ON L4K 5C6

Ticket:
5380242

Our Order: **406526 - 5**

Cust P.O.: 259970

Die: ES05691

Part: 05691-000-144

Alloy Temper: **6061 T6511**

Description: **375 x 1.000**

Print Date: 8/19/14

 15/01/13

Chemical Composition Range

6061	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OtherEach	OtherTotal
Min	0.40		0.15		0.8	0.04				
Max	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	0.05	0.15

Mechanical Properties

Strength ksi

Sample ID	Cast #	Lot #	Test Date	Ultimate Tensile	Yield 2% offset	Elongation 2" gage length
602382	14071201b	A11	8/18/14	41.63	37.51	19.7


Applicable Specifications: **ASTMB221-13** **QQA200/8**

Country of Origin: 85 Parkshore Drive, Brampton, Ontario CANADA L6T 5M1

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Ray Hussain - Tensile Testing

Authorized: _____


Evan Eng, Quality Assurance Mgr.

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511
1.50" x 3.00" x 144.0000"
PART NO. M6061T6B30000X01.500

PO/Ref: PO26920
We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

[Signature]

BL PEC-912918-004

Trans 5
Pg 1/1

Certificate of Mill Test Results



TEL: (416)745-4444 FAX: (416)745-0925 1-800-668-7210
411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA L4L 8N4
<http://www.extrudex.com>

MILL TEST

BILL TO	CERT CODE:	DIE NUMBER	DATE OF SHIPMENT	EXTRUDEX ORDER NO.	MANIFEST NO.
THYSSENKRUPP MATERIALS NA	1	S 4769	Oct/06/2014	173670 - 1	316097
SHIP TO	CUSTOMER PO	ALLOY	TEMPER	SALESMAN	
THYSSENKRUPP MATERIALS NA	PEC-261531	6061	T6511	FORBES DODWELL	
SO DESCRIPTION	CUSTOMER PART NUMBER	PART DESCRIPTION			
1.5"x3" FB	4769-S	1.5"x3" FB			
				CERTIFICATION	MILL TEST ASTM B221-13

Mechanical Properties

Lot	Alloy	Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation	Hardness Rockwell F	Conductivity
A.11	6061	Sep/30/2014	45.80	42.50	12.70	91.2, 91.9, 91.5	

Chemical Composition

Cast Number	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	II	Ga	V	B	Zr	Bi	Pb	Sn	Sr	Co	Al	Other
A.11 25709	0.74	0.34	0.32	0.078	1.03	0.076	0	0.009	0.019	0	0	0	0	0	0	0	0	0	0	Remainder

We certify that the following extrusions have been quality inspected/tested and conforms to required dimensional and temper specifications.

[Signature]

David Natale
Quality Control Manager

1 - CUSTOMER COPY

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM ROUND BAR 6061-T6511
3.250" DIA X 72.000"
PART NO. M6061T6R3.250

PO/Rel PO26920

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-912918-006

7Jan15

Signed by: *[Signature]* Pg 1/2

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CUSTOMER PO NUMBER: PEC-259655-1		CUSTOMER PART NUMBER: R84/STK		PRODUCT DESCRIPTION: KAISERSELECT PRECISON ROD 3.250 +/- .012	
KAISER ORDER NUMBER: 669600	LINE ITEM: 001	SHIP DATE: 07/22/2014	KAISER LOT NUMBER: Z00080113	ALLOY: 6061	TEMPER: T6511B
WEIGHT SHIPPED: 1054.000 LB	QUANTITY: 9.000 PCS	B/L NUMBER: 609487	DIAM/DAFT/THKNS. 3.250	WIDTH: 3.250	LENGTH: 12.000 FT
SHIP TO: THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA			SOLD TO: THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
Z00080113	0001	1	57.1	54.7	14.7	RE 93	N/A	N/A
Z00080113	0001	2	57.5	55.2	14.1	RE 93	N/A	N/A
Z00080113	0002	1	54.4	51.9	13.0	RE 93	N/A	N/A
Z00080113	0002	2	55.5	53.3	15.2	RE 91	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.25	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
104059	.77	.31	.29	.09	.93	.09	.02	.02	.00	.00	.00	.01	.03

Applicable Requirements:

PER ASTM-B221-13, STENCILED ASME-SB221 1998 SECT II PER AMS-QQ-A-200/8 (REAF 2012)
UNS# A96061 MEETS ALL SPECIFICATION REQUIREMENTS FOR 6061-T6511/T6 ELEVATED MINIMUM
MECHANICAL PROPERTIES AS FOLLOWS: UTS = 42.0 KSI MIN YIELD = 38.0 KSI MIN ELONGATION
= 10.0% MIN

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY
OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

Plant Serial: 00142639
Kaiser Order Number: 669600
Line Item: CC1

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM ROUND BAR 6061-T6S11
3.250" DIA X 72.0000"
PART NO. M6061T6R3.250

PO/Rel PO26920

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-912918-006

7Jan15

Signed by: 

Pg 2/2

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Aimee L. Macnowski, Quality & Technology Manager

Aimee L. Macnowski

Plant Serial: 00142639

Kaiser Order Number: 669600

Line Item: C01

Page 2 of 2

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 .250X1.00
 RECEIVED BY: Sonia P
 DATE: 15/01/09
 P/O# 26920 MATERIAL CERT RECEIVED: yes
 QUANTITY ORDERED: 12 QUANTITY RECEIVED: 12
 THICKNESS ORDERED: .250X1.00 THICKNESS RECEIVED: .250X1.00
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u>	BY: _____
DATE: <u>15/01/13</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 .375X1.00
 RECEIVED BY: Sonia P
 DATE: 15/01/09
 P/O# 26920 MATERIAL CERT RECEIVED: yes
 QUANTITY ORDERED: 24 QUANTITY RECEIVED: 24
 THICKNESS ORDERED: .375X1.00 THICKNESS RECEIVED: .375X1.00
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>OW</u>	BY: _____
DATE: <u>15/01/13</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061TL6-750X1.500
 RECEIVED BY: S. Davis P
 DATE: 2/15/01/13
 P/O# 26920 MATERIAL CERT RECEIVED yes
 QUANTITY ORDERED: 12 QUANTITY RECEIVED: 12
 THICKNESS ORDERED: 750 X 1.500 THICKNESS RECEIVED: 750 X 1.500
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>amk</u>	BY: _____
DATE: <u>2/15/01/13</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 3.00X1.500
 RECEIVED BY: Sonia P
 DATE: 15/01/09
 P/O#: 26920
 QUANTITY ORDERED: 12
 THICKNESS ORDERED: 3.00X1.500
 SHEET SIZE: _____
 MATERIAL CERT RECEIVED: yes
 QUANTITY RECEIVED: 12
 THICKNESS RECEIVED: 3.00X1.500
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
INCORRECT FINISH	Y <input checked="" type="radio"/> N	
CORROSION	Y <input checked="" type="radio"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="radio"/> N	
INCORRECT MATERIAL	Y <input checked="" type="radio"/> N	
INCORRECT THICKNESS	Y <input checked="" type="radio"/> N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>Gmk</u>	BY: _____
DATE: <u>15/01/13</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 R1.500
 RECEIVED BY: Sonia
 DATE: 15/01/09
 P/O# 26920
 QUANTITY ORDERED: 60
 THICKNESS ORDERED: 1.500
 SHEET SIZE: _____
 MATERIAL CERT RECEIVED: yes
 QUANTITY RECEIVED: 60
 THICKNESS RECEIVED: 1.500
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>J.K.</u>	BY: _____
DATE: <u>15/01/13</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 46D6/IT6 R3.250
 RECEIVED BY: Sonji P
 DATE: 15/01/19
 P/O#: 26920
 QUANTITY ORDERED: 6
 THICKNESS ORDERED: R3.250
 SHEET SIZE: _____
 MATERIAL CERT RECEIVED: yes
 QUANTITY RECEIVED: 6
 THICKNESS RECEIVED: R3.250
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u>	BY: _____
DATE: <u>15/01/19</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO26920**

Purchase Order Date 1/5/2015

PO Print Date 1/5/2015

Page Number 1 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	905 669 9444	Customer POID	
		Customer Tax #	10127-2607
Ship To Contact		Terms	Net 30
Ship To Phone		Currency	CAD
Ship Via:	VENDOR'S TRUCK	FOB	FCA - (Free Carrier)
Ship Acct:			

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6B0.250X01.000	6061-T6 Bar .250 x 1.00	1/12/2015 Yes 1/12/2015		12.00 f	\$2.50	\$30.00
MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221							
Line Total:							\$30.00
2	M6061T6B0.375X01.000	6061T6 BAR .375 x 1.00	1/12/2015 Yes 1/12/2015		24.00 f	\$1.25	\$30.00
MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221							
Line Total:							\$30.00

8015-019

[Signature]

Note:

1/5/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO26920

Purchase Order Date 1/5/2015

PO Print Date 1/5/2015

Page Number 2 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

3 M6061T6B0.750X01.500 6061-T6 Bar .750 X 1.50 1/12/2015
Yes
1/12/2015

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

12.00

\$3.50

\$41.95

Line Total:

\$41.95

4 M6061T6B30000X01.500 6061-T6 Bar 3.00 x 1.50 1/12/2015
Yes
1/12/2015

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

12.00

\$13.08

\$156.90

Line Total:

\$156.90

5 M6061T6R1.500 6061-T6 Round Bar 1.50 1/12/2015
Yes
1/12/2015

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

60.00

\$5.40

\$323.75

Note:

1/5/2015

SP 15-01-9



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO26920**

Purchase Order Date 1/5/2015

PO Print Date 1/5/2015

Page Number 3 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

Line Total: \$323.75

6 M6061T6R3.250 6061-T6 RD BAR 3.250" 1/12/2015
Yes
1/12/2015

6.00 ✓ \$26.46 \$158.75
f

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$158.75

7 71401-45 procurement quality clauses 1/12/2015
No
1/12/2015

1.00 ✓ \$0.00 \$0.00

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality document

8015-019

Line Total: \$0.00

Note:

1/5/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO26920

Purchase Order Date 1/5/2015

PO Print Date 1/5/2015

Page Number 4 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA – (Free Carrier)

PO Total:

\$741.35

CL

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr:

1

Change Date:

1/5/2015